




VF SERIES WORM GEAR-SPEED REDUCER

VF系列蜗轮减速机

HEMU MECHANICAL

WENZHOU HEMU MECHANICAL EQUIPMENT CO.,LTD.




Add: Mocheng Industrial Zone, Aojiang Town,
Pingyang County, Wenzhou City, Zhejiang Province
e-Mail: info@hemureducer.com
Web: www.hemureducer.com
Tel number: 0086-577-6359 6629
Cell number: 0086-136 7644 1680
Whatsapp/wechat: 0086-13676441680




VF 系列蜗轮减速机 VF series worm gear-speed reducer


VF 型号及标记
VF Model & Mark




支架代号
Code of bracket



X




S



Sh

电机直联尺寸 Motor mounting facility




型号 Model	PAM IEC	N(H7)	M	P	b1	t1	7.5	10	15	20	25	30	40	50	60	ø	100
							D(E8)										
VF030	63B5	95	115	140	4	12.8	11	11	11	11	11	11	11	-	-	-	-
	63B14	60	75	90													
	56B5	80	100	120	3	10.4	9	9	9	9	9	9	9	9	9	9	-
	56B14	50	65	80													
VF040	71B5	110	130	160	5	16.3	14	14	14	14	14	14	14	-	-	-	-
	71B14	70	85	105													
	63B5	95	115	140	4	12.8	11	11	11	11	11	11	11	11	11	11	-
	63B14	60	75	90													
	56B5	80	100	120	3	10.4	-	-	-	-	-	-	-	9	9	9	9
VF050	80B5	130	165	200	6	21.8	19	19	19	19	-	-	-	-	-	-	-
	80B14	80	100	120													
	71B5	110	130	160	5	16.3	14	14	14	14	14	14	14	14	14	14	14
	71B14	70	85	105													
	63B5	95	115	140	4	12.8	-	-	-	-	-	-	11	11	11	11	11
VF063	90B5	130	165	200	8	27.3	24	24	24	24	24	-	-	-	-	-	-
	90B14	95	115	140													
	80B5	130	165	200	6	21.8	19	19	19	19	19	19	19	-	-	-	-
	80B14	80	100	120													
	71B5	110	130	160	5	16.3	-	-	-	-	-	-	-	14	14	14	14
VF075	100/112B5	180	215	250	8	31.8	28	-	-	-	-	-	-	-	-	-	-
	100/112B14	110	130	160													
	90B5	130	165	200	8	27.3	24	24	24	24	24	24	24	-	-	-	-
	90B14	95	115	140													
	80B5	130	165	200	6	21.8	-	-	-	-	-	-	19	19	19	19	19
	80B14	80	100	120													
	71B5	110	130	160	5	16.3	-	-	-	-	-	-	-	-	-	-	14
VF090	100/112B5	180	215	250	8	31.8	28	28	28	28	28	28	28	-	-	-	-
	100/112B14	110	130	160													
	90B5	130	165	200	8	27.3	-	-	-	-	24	24	24	24	24	-	-
	90B14	95	115	140													
	80B5	130	165	200	6	21.8	-	-	-	-	-	-	-	19	19	19	19
VF105	132B5	230	265	300	10	41.3	38	38	38	-	-	-	-	-	-	-	-
	100/112B5	180	215	250	8	31.8	28	28	28	28	28	28	28	28	28	28	28
	90B5	130	165	200	8	27.3	-	-	-	-	-	-	-	24	24	24	24
	80B5	130	165	200	6	21.8	-	-	-	-	-	-	-	-	-	19	19




VF系列安装方位

VF series installation position:


支架安装(S): Bracket mounting (S)




支架安装(Sh): Bracket mounting (Sh)



支架安装(X): Bracket mounting (X)




法兰安装(F或FH): Flange mounting ("F" or "FH")






电机接线盒位置:

Motor's wiring case position:




出轴方向: DZ1或DZ2

Shaft stretch direction: DZ1 or DZ2



法兰方向: F1(FH1)或F2(FH2)

Flange stretch direction: F1(FH1) or F2(FH2)



VF性能参数

VF performance parameter

	型号Model	i	n2 rpm	M2 N.M
0.06kw 4P n1=1400 r/min	VF030	7.5	187	2.6
	VF030	10	140	3.4
	VF030	15	93	4.7
	VF030	20	70	6
	VF030	25	56	7
	VF030	30	47	8
	VF030	40	35	9.7
	VF030	50	28	11
	VF040	50	28	11
	VF030	60	23	13
	VF040	60	23	13
	VF030	80	18	14
	VF040	80	18	14
	VF040	100	14	17
	VF030	7.5	187	3.9
0.09kw 4P n1=1400 r/min	VF030	10	140	5
	VF030	15	93	7.1
	VF030	20	70	9
	VF030	25	56	10
	VF030	30	47	12
	VF030	40	35	14
	VF030	50	28	17
	VF040	50	28	19
	VF030	60	23	19
	VF040	60	23	21
	VF040	80	18	26
	VF040	100	14	29
	VF030	7.5	187	5.2
	VF040	7.5	187	5.2
	VF030	10	140	6.7
0.12kw 4P n1=1400 r/min	VF040	10	140	6.7
	VF030	15	93	9.5
	VF040	15	93	9.5
	VF030	20	70	12
	VF040	20	70	12
	VF030	25	56	14
	VF040	25	56	14
	VF030	30	47	16
	VF040	30	47	17
	VF030	40	35	19
	VF040	40	35	21
	VF050	40	35	21
	VF040	50	28	25
	VF050	50	28	25
	VF040	60	23	28
	VF050	60	23	29

	型号Model	i	n2 rpm	M2 N.M
0.12kw 4P n1=1400 r/min	VF040	80	18	34
	VF050	80	18	35
	VF050	100	14	40
	VF030	7.5	187	7.8
0.18kw 4P n1=1400 r/min	VF040	7.5	187	7.8
	VF030	10	140	10
	VF040	10	140	10
	VF030	15	93	14
	VF040	15	93	14
	VF030	20	70	18
	VF040	20	70	19
	VF030	25	56	21
	VF040	25	56	23
	VF030	30	47	24
	VF040	30	47	26
	VF050	30	47	26
	VF040	40	35	32
	VF050	40	35	33
	VF040	50	28	38
	VF050	50	28	39
0.25kw 4P n1=1400 r/min	VF040	60	23	43
	VF050	60	23	43
	VF050	80	18	52
	VF050	100	14	60
	VF040	7.5	187	11
	VF050	7.5	187	11
	VF040	10	140	14
	VF050	10	140	14
	VF040	15	93	21
	VF050	15	93	21
	VF040	20	70	17
	VF050	20	70	17
	VF040	25	56	32
	VF050	25	56	32
	VF040	30	47	36
	VF050	30	47	37
	VF040	40	35	44
	VF050	40	35	46
	VF050	50	28	54
	VF063	50	28	56
	VF050	60	23	60
	VF063	60	23	63
	VF050	80	18	72
	VF063	80	18	78
	VF075	80	18	82
	VF063	100	14	87
	VF075	100	14	94



VF性能参数

VF performance parameter


	型号Model	i	n2 rpm	M2 N.M
0.37kw 4P n1=1400 r/min	VF040	7.5	187	16
	VF050	7.5	187	16
	VF040	10	140	21
	VF050	10	140	22
	VF040	15	93	31
	VF050	15	93	31
	VF040	20	70	39
	VF050	20	70	40
	VF040	25	56	47
	VF050	25	56	48
	VF040	30	47	53
	VF050	30	47	55
	VF050	40	35	68
	VF063	40	35	71
	VF050	50	28	80
	VF063	50	28	83
	VF075	50	28	83
	VF063	60	23	94
	VF075	60	23	98
	VF063	80	18	115
0.55kw 4P n1=1400 r/min	VF050	7.5	187	25
	VF063	7.5	187	25
	VF050	10	140	32
	VF063	10	140	32
	VF050	15	93	46
	VF063	15	93	46
	VF050	20	70	59
	VF063	20	70	61
	VF050	25	56	71
	VF063	25	56	73
	VF063	30	47	83
	VF075	30	47	83
	VF063	40	35	105
	VF075	40	35	108
	VF063	50	28	124
	VF075	50	28	129
	VF075	60	23	146
	VF090	60	23	146
	VF075	80	18	180
	VF090	80	18	189
0.75kw 4P n1=1400 r/min	VF105	80	18	201
	VF090	100	14	221
	VF105	100	14	236
	VF050	7.5	187	34
	VF063	7.5	187	34
	VF050	10	140	44
	VF063	10	140	44
	VF050	15	93	63
1.1kw 4P n1=1400 r/min	VF063	15	93	64
	VF050	20	70	81
	VF063	20	70	83
	VF063	25	56	100
	VF075	25	56	102
	VF063	30	47	114
	VF075	30	47	117
	VF063	40	35	143
	VF075	40	35	147
	VF090	40	35	147
	VF075	50	28	177
	VF090	50	28	184
	VF075	60	23	200
	VF090	60	23	212
	VF090	80	18	258
	VF105	80	18	274
	VF105	100	14	322
	VF063	7.5	187	50
	VF075	7.5	187	50
	VF063	10	140	65
	VF075	10	140	65
1.5kw 4P n1=1400 r/min	VF063	15	93	93
	VF075	15	93	96
	VF063	20	70	122
	VF075	20	70	123
	VF063	25	56	146
	VF075	25	56	150
	VF063	30	47	167
	VF075	30	47	171
	VF063	40	35	216
	VF075	40	35	225
	VF090	50	28	270
	VF090	50	28	278
	VF105	50	28	278
	VF090	60	23	324
	VF105	60	23	324
	VF105	80	18	402

VF性能参数


VF performance parameter

	型号Model	i	n2 rpm	M2 N.M
1.5kw 4P n1=1400 r/min	VF063	7.5	187	68
	VF075	7.5	187	68
	VF063	10	140	89
	VF075	10	140	90
	VF063	15	93	127
	VF075	15	93	130
	VF063	20	70	166
	VF075	20	70	168
	VF090	20	70	172
	VF075	25	56	205
	VF090	25	56	210
	VF075	30	47	233
	VF090	30	47	239
	VF090	40	35	307
	VF105	40	35	319
	VF090	50	28	368
	VF105	50	28	384
	VF105	60	23	442
	VF105	80	18	548
	VF075	7.5	187	100
2.2kw 4P n1=1400 r/min	VF090	7.5	187	101
	VF105	7.5	187	101
	VF075	10	140	132
	VF090	10	140	134
	VF105	10	140	134
	VF090	15	93	194
	VF105	15	93	194
	VF090	20	70	252
	VF105	20	70	255
	VF090	25	56	308
	VF105	25	56	315
	VF090	30	47	351
	VF105	30	47	356
	VF105	40	35	468
	VF105	50	28	563
	VF105	60	23	648


	型号Model	i	n2 rpm	M2 N.M
3.0kw 4P n1=1400 r/min	VF090	7.5	187	138
	VF105	7.5	187	138
	VF090	10	140	182
	VF105	10	140	182
	VF090	15	93	264
	VF105	15	93	264
	VF090	20	70	344
	VF105	20	70	348
	VF090	25	56	420
	VF105	25	56	430
	VF090	30	47	479
	VF105	30	47	485
4.0kw 4P n1=1400 r/min	VF105	40	35	638
	VF105	50	28	767
	VF090	7.5	187	184
	VF105	7.5	187	184
	VF090	10	140	243
	VF105	10	140	243
	VF090	15	93	352
	VF105	15	93	352
	VF105	20	70	464
	VF105	25	56	573
	VF105	30	47	647

VF030 安装尺寸
P 尺寸见第36页VF030 Gearbox dimensions
P see P36 Page


VF030 - ... X




VF030 - ... S




VF030 - ... SH




VF040 安装尺寸
P 尺寸见第36页VF040 Gearbox dimensions
P see P36 Page


VF040 - ... X




VF040 - ... S




VF040 - ... SH




VF050 安装尺寸
P 尺寸见第36页VF050 Gearbox dimensions
P see P36 Page


VF050 - ... X



VF050 - ... S




VF050 - ... SH






VF063 安装尺寸
P 尺寸见第36页


VF063 Gearbox dimensions
P see P36 Page




VF063 - ... X




VF063 - ... S




VF063 - ... SH




VF075 安装尺寸
P 尺寸见第36页VF075 Gearbox dimensions
P see P36 Page


VF075 - ... X




VF075 - ... S



VF075 - ... SH





VF090 安装尺寸
P 尺寸见第36页VF090 Gearbox dimensions
P see P36 Page

VF090 - ... X


VF090 - ... S

VF090 - ... SH




VF105 安装尺寸
P 尺寸见第36页VF105 Gearbox dimensions
P see P36 Page

VF105 - ... X



VF105 - ... S



VF105 - ... Sh

